

TP-Link 16-Port 10/100/1000Mbit/s Desktop Switch

Marke : TP-Link

Artikel-Code: TL-SG116 V1

Produktname : 16-Port 10/100/1000Mbit/s Desktop Switch



- 16 10/100/1000Mbit/s-RJ45-Ports mit Autoabstimmung und Auto-MDI/MDIX
 - Green-Ethernet zum Energiesparen
 - Flusskontrolle nach IEEE802.3x für zuverlässige Datenübertragung
 - Metallgehäuse für Tischaufbau oder Wandmontage
 - Unterstützt QoS nach IEEE802.1p sowie IGMP-Snooping
 - Plug-and-Play, keine Konfiguration notwendig
 - 16 x 10/100/1000Mbit/s RJ-45, QoS, Auto-MDI/MDIX, IEEE 802.3i /802.3u /802.3ab /802.3x /802.1p
- TP-Link 16-Port 10/100/1000Mbit/s Desktop Switch. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 16. Vollduplex. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 32 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x



Management-Funktionen		Leistungen	
Switch-Typ *	Unmanaged	Plug & Play	✓
Quality of Service (QoS) Support	✓	Energie	
Anschlüsse und Schnittstellen		Energiequelle *	Gleichstrom
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	16	Netzteil enthalten *	✓
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Eingangsstrom	1 A
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	16	Eingangsspannung	12 V
Netzwerk		Stromverbrauch (max.)	10 W
Netzstandard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE)	
10G-Unterstützung *	✗	Power over Ethernet (PoE) *	✗
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Betriebsbedingungen	
Vollduplex	✓	Betriebstemperatur	0 - 40 °C
Unterstützung Datenflusssteuerung	✓	Temperaturbereich bei Lagerung	-40 - 70 °C
Auto MDI/MDI-X	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Auto-Negotiation-Funktion	✓	Luftfeuchtigkeit bei Lagerung	5 - 90%
Datenübertragung		Wärmeableitung	34,12 BTU/h
Routing-/Switching-Kapazität *	32 Gbit/s	Gewicht und Abmessungen	
Transferrate	23,8 Mpps	Breite	286 mm
MAC-Adressentabelle *	8000 Eintragungen	Tiefe	111,7 mm
Store-and-Forward	✓	Höhe	25,4 mm
Jumbo Frames Unterstützung	✓	Lieferumfang	
Jumbo-Frames	10000	Schnellstartübersicht	✓
Datenpaket-Pufferspeicher	4,1 MB	Verpackungsdaten	
		AC-Netzadapter	✓
		Verpackungsart	Box
		Gummifüße	✓

Sicherheit		Verpackungsdaten	
IGMP-Snooping	✓	Verpackungsbreite	170 mm
Design		Verpackungstiefe	412 mm
Rack-Einbau *	✗	Verpackungshöhe	70 mm
Produktfarbe	Schwarz	Paketgewicht	1,33 kg
Gehäusematerial	Stahl	Zertifikate	
LED-Anzeigen	✓	Zertifizierung	CE, FCC ,RoHS
Logistikdaten			
		Warentarifnummer (HS)	85176990



6935364084325



6935364084332



0845973084325



845973084325

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.