

Brother TZE-131 Etiketten erstellendes Band Schwarz auf transparent

Marke : Brother

Artikel-Code: TZE-131

Produktname : TZE-131

- Schwarz auf transparent
 - 12 mm breit, 8 m lang
 - Wisch-, wetter- und kratzfest
 - Temperatur-, chemie- und UV-beständig
 - Beständige, perfekt lesbare Ergebnisse
- Original Brother TZe-131 laminiertes Schriftband – 12 mm breit, 8 m lang

Brother TZE-131 Etiketten erstellendes Band Schwarz auf transparent:

Das Original Brother TZe-131 Schriftband mit schwarzer Schrift auf transparentem Hintergrund ist perfekt lesbar und vielseitig einsetzbar – ganz gleich, ob zu Hause, im Büro oder an anderen Arbeitsplätzen. Dank seiner Laminierung ist das Schriftband wisch-, wetter- und kratzfest und hält selbst extremen Bedingungen hinsichtlich Abrieb, Temperaturen, Chemikalien und UV-Licht stand. Brother TZE-131. Aufkleberfarbe: Schwarz auf transparent, Typ: Etikettenrolle, Bandtyp: TZe. Speicherbandbreite (metrisch): 1,2 cm, Bandlänge: 8 m, Breite: 20 mm. Palettenhöhe (brutto): 16,2 cm, Anzahl Kartons pro Palette: 36 Stück(e), Lagenanzahl pro Palette: 6 Stück(e). Band-Größe: 1,2 cm



Merkmale		Merkmale	
Aufkleberfarbe *	Schwarz auf transparent	Kompatibilität	GL-100, PT-1000, PT-1000BM, PT-1010, PT-1010B, PT-1010NB, PT-1010R, PT-1010S, PT-1090, PT-1090BK, PT-1100, PT1100SB, PT-1100SBVP, PT-1100ST, PT-1120, PT-1130, PT-1160, PT-1170, PT-1180, PT-1190, PT-11Q, PT-1200, PT-1230PC, PT-1280, PT-1280SR, PT-1280VP, PT-128AF, PT-1290, PT-1290BT, PT-1290BT2, PT-1290RS, PT-1300, PT-1400, PT-1500, PT-1500PC, PT-1600, PT-1700, PT-1750, PT-1800, PT-1810, PT-1830, PT-1830C, PT-1830SC, PT-1830VP, PT-1880, PT-1880C, PT-1880SC, PT-1880W, PT-1890C, PT-1890SC, PT-1890W, PT-18R, PT-18RKT, PT-1900, PT-1910, PT-1950, PT-1960, PT-200, PT-2030, PT-2030AD, PT-2030VP, PT-2100, PT-2110, PT-2200, PT-2210, PT-2300, PT-2310, PT-2400, PT-2410, PT-2430PC, PT-2500PC, PT-2600, PT-2610, PT-2700, PT-2710, PT-2730, PT-2730VP, PT-300, PT-300B, PT-310, PT-310B, PT-320, PT-330, PT-340, PT-350, PT-3600, PT-4000, PT-520, PT-530, PT-540, PT-550, PT-580C, PT-6100, PT-7100, PT-7500, PT-7600, PT-9200DX, PT-9200PC, PT-9400, PT-9500PC, PT-9600, PT-9700PC, PT-9800PCN, PT-D200, PT-D200BT, PT-D200DA, PT-D200MA, PT-D200SA, PT-D210, PT-D400, PT-D400AD, PT-D400VP, PT-D450, PT-D600, PT-D600VP, PT-E100, PT-E300, PT-E500, PT-E550W, PT-H100, PT-H110, PT-H300, PT-H300LI, PT-H500LI, PT-P700, PT-P750W, PT-P750WVP, PT-P900W, PT-P950NW, ST-1150, ST-1150DX, ST-5
Typ	Etikettenrolle		
Selbstlaminierend	✓		
Feuchtigkeitsbeständig	✓		
Wetterfestigkeit	✓		
Wischfest	✓		
Flammhemmer	✗		
Bandtyp	TZe		
Produktfarbe	Grau		
Drucktechnologie	Wärmeübertragung		
Ursprungsland	Philippinen		
Schrumpfschlauch	✗		
Flexibilität	✓		
Für strukturierte Oberflächen geeignet	✗		
Hitzebeständig	✓		
Kältebeständig	✓		
Ultraviolett (UV) beständig	✓		
Ölbeständig	✓		
Wasserfest	✓		
Chemikalienbeständig	✓		
Laminiert	✓		
Kratzfest	✓		
Abriebfest	✓		
Geeignet für alle Oberflächen	✗		
Für die Nutzung im Außenbereich geeignet	✓		
Tiefkühlgeeignet	✓		
Ersatzteilaufbewahrung	5 Jahr(e)		
Markenkompatibilität	Brother		

Technische Details	
äußerste Verpackung GTIN (EAN/UPC)	4977766684811
Palettentyp	800 x 1200 mm
Gewicht und Abmessungen	
Speicherbandbreite (metrisch) *	1,2 cm
Bandlänge	8 m
Breite	20 mm
Tiefe	70 mm
Höhe	90 mm
Gewicht	36 g
Menge pro Packung	1 Stück(e)
Verpackungsbreite	210 mm
Verpackungstiefe	370 mm
Verpackungshöhe	250 mm
Verpackungsart	Sichtverpackung
Paketgewicht	55 g
Logistikdaten	
Palettenhöhe (brutto)	16,2 cm
Anzahl Kartons pro Palette	36 Stück(e)
Lagenanzahl pro Palette	6 Stück(e)
Versandkarton pro Palettenlage	6 Stück(e)
Palettengewicht (brutto)	241,9 kg
Produkte pro Palette	3600 Stück(e)
Warentarifnummer (HS)	48219090
Sonstige Funktionen	
Band-Größe	1,2 cm




5711045908217



5052883595444




0012502627623



012502627623



4052305062289



0125026255132



125026255132



5051964084297



0011693926263



011693926263



0012502625513



012502625513



4977766684811

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.