



GIGABYTE MS03-CE0 Intel C741 LGA 4677 (Socket E) ATX

Marke : GIGABYTE

Artikel-Code: 9MS03CE0MR-000

Produktname : MS03-CE0

GIGABYTE MS03-CE0. Prozessorhersteller: Intel, Prozessorsockel: LGA 4677 (Socket E), Kompatible Prozessoren: Intel® Xeon®. Unterstützte Arbeitsspeicher: DDR5-SDRAM, RAM-Speicher maximal: 256 GB, Arbeitsspeicher Typ: DIMM. Unterstützte Speicherlaufwerk-Schnittstellen: SATA III, RAID Level: 0, 1, 5, 10. Eingebautes Grafikkartenmodell: Aspeed AST2600. Ethernet Schnittstellen Typ: Gigabit Ethernet, LAN-Controller: Intel® I210-AT



Prozessor		E/A-Anschlüsse auf der Rückseite	
Prozessorhersteller *	Intel	Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	2
Prozessorsockel *	LGA 4677 (Socket E)	Anzahl VGA (D-Sub) Anschlüsse *	1
Kompatible Prozessoren *	Intel® Xeon®	Anzahl COM-Anschlüsse	1
Speicher		Netzwerk	
Unterstützte Arbeitsspeicher *	DDR5-SDRAM	Ethernet/LAN	✓
Anzahl der Speichersteckplätze *	8	Ethernet Schnittstellen Typ	Gigabit Ethernet
Arbeitsspeicher Typ	DIMM	LAN-Controller	Intel® I210-AT
Speicherkanäle	Hexa-Kanal	WLAN *	✗
Unterstützte Arbeitsspeichergeschwindigkeit	4800,5600 MHz	Merkmale	
RAM-Speicher maximal *	256 GB	Motherboard Chipsatz *	Intel C741
Maximaler RDIMM Speicher	96 GB	Komponente für *	Server
Speicher-Controller		Motherboardformfaktor *	ATX
Unterstützte Speicherlaufwerk-Schnittstellen *	SATA III	Motherboard Chipsatz Familie *	Intel
Anzahl der unterstützten Speicherlaufwerke	12	Kompatible Betriebssysteme	Windows Server 2022 (x64)
RAID-Unterstützung	✓	Erweiterungssteckplätze	
RAID Level	0, 1, 5, 10	PCI Express x8-Steckplätze (Gen 5.x)	2
Grafik		PCI Express x16-Steckplätze (Gen 5.x)	5
Eingebautes Grafikkartenmodell	Aspeed AST2600	Anzahl der M.2 (M)-Steckplätze	1
Interne E/A-Anschlüsse		Betriebsbedingungen	
USB 3.2 Gen 1 (3.1 Gen 1) Anschlüsse *	1	Temperaturbereich bei Lagerung	10 - 40 °C
Frontpanel-Stecker	✓	Betriebstemperatur	-40 - 60 °C
ATX Stromstecker (24-pol.)	✓	Relative Luftfeuchtigkeit in Betrieb	8 - 80%
CPU Ventilatorstecker	✓	Luftfeuchtigkeit bei Lagerung	20 - 95%

Interne E/A-Anschlüsse		Verpackungsdaten	
Anzahl der CPU-Lüfteranschlüsse	1	Verpackungsbreite	360 mm
EPS Stromstecker (8-pin)	✓	Verpackungstiefe	330 mm
Anzahl der EPS-Stromanschlüsse (4-polig)	2	Verpackungshöhe	80 mm
TPM-Anschluss	✓	Gewicht und Abmessungen	
E/A-Anschlüsse auf der Rückseite		Breite	304,8 mm
USB 3.2 Gen 1 (3.1 Gen 1) Anzahl der Anschlüsse vom Typ A *	4	Tiefe	244 mm
		Lieferumfang	
		Mitgelieferte Kabel	SATA



4719331849597

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.