

3m USB-C-Ladekabel, Schraubensicherung, 240W (5A) PD EPR, USB 2.0
Laptop-Ladekabel, Nylon Geflochten, USB-IF zertifiziert, Robustes USB C
Schnellladekabel

Produkt-ID: S2CEPR3M-USBSL-CABLE



Connect a charger to a USB Power Delivery (PD) 3.1-enabled device, using this USB-C Charging Cable. The USB-C charger cord delivers up to 240W of Extended Power Range (EPR) Power Delivery and 5A output for fast charging. The connector markings enable quick visual identification, distinguishing it from other similar-looking or unmarked USB-C cables. Eliminate guesswork and always choose the right Type-C cable to support full 240W charging.

Screw Locking USB-C

This cable features dual locking screws that can securely connect to your USB-C peripherals and can prevent accidental disconnection from your devices such as external hard drives or docking stations. The knurled screws can be removed from the cable completely allowing it to be used as a standard USB-C cable if required.

The screws are designed to fit all devices that use a standard side screw locking input, such as StarTech.com's DK31C3HDPD.

Quality Construction

The USB-C EPR Charging Cable features a silicone jacket with a braided nylon exterior for optimal flexibility and wear protection. The durable nickel-plated connectors are designed for frequently daily use, and are rated to operate beyond 10,000 insertion cycles.

Charge Mobile Devices On The Go

Charge a USB-C device with a USB-C wall charger, car charger, or power bank. The 2-meter (6.6-foot) USB Type-C cable is the ideal length for desk and mobile workstations, commuters, in-car use or to reduce clutter when syncing with a USB-C laptop.

Power a Laptop

With up to 5A of output, the USB-C Charger Cord supports up to 240W of Power Delivery to charge a USB-C laptop, or fast charge a tablet or smartphone. To use, connect the cable from a USB-C laptop to a USB-C wall charger.

Zertifikate Berichte und Kompatibilität



Anwendungen

Merkmale

- **USB-C EPR CHARGING CABLE:** Side Screw Locking USB-C cable supports Power Delivery 3.1 EPR; Up to 240W to high-power laptops; Ideal for chargers/docks with side-locking USB-C port such as DK31C3HDPD; Performance markings on connectors for easy identification
- **USB-IF CERTIFIED:** The USB C Cable is USB-IF certified with integrated E-marker chip, for consistent Power Delivery output to USB-C hosts and peripherals; When using certified cables, reliable performance and compatibility is guaranteed
- **QUALITY CONSTRUCTION:** Flexible silicone jacket with braided nylon resists wear and withstands +/-90° bends; Nickel-plated connectors rated beyond 10,000 insertions; M2 Screw Locking connector with knurled grip for easy installation and removal
- **ANWENDUNGEN:** Kompatibel mit USB-C Power Delivery-fähigen Geräten; Schraubensicherung für Laufwerksgehäuse und externe Speicher; ideal für Power Laptops z.B. 16" MacBook Pro/Max M-serie; bietet USB 2.0 für Datentransfer und Gerätesynchronisation
- **PERFORMANCE:** 240W/5A PD 3.1 EPR, 48V; Abwärtskompatibel mit/140W/100W/60W; USB 2.0 Typ-C (480Mbps); 3 Meter Kabel; Farbe: Schwarz; AD: 4,7mm; Silikonmantel mit geflochtenes Nylon; **HINWEIS:** USB-C Video (DP Alt Mode) wird nicht unterstützt

Hardware

Garantiebestimmungen Lifetime

Steckverbinderplatten Nickel

Typ der Kabelummantelung Silicone with Braided Nylon

Leistung		
MTBF	Rated beyond 10,000 insertions	
Steckverbinder		
Steckverbinder A	1 - USB Type-C (24-pin) USB 2.0 (480Mbps)	
Steckverbinder B	1 - USB Type-C (24-pin) USB 2.0 (480Mbps)	
Strom		
Power Delivery	240W	
Umgebungsbedingungen		
Betriebstemperatur	0°C - 50°C (32°F - 122°F)	
Lagertemperatur	-20°C - 70°C (-4°F - 158°F)	
Feuchtigkeit	5% - 85%	
Physische Eigenschaften		
Farbe	Schwarz	
Steckverbinderart	Gerade	
Drahtstärke	30 AWG	
Gehäusetyp	ABS	
Kabellänge	9.8 ft [3 m]	
Außendurchmesser des Kabels	0.2 in [4.7 mm]	
Produktlänge	9.8 ft [3.0 m]	
Produktbreite	0.8 in [2.0 cm]	
Produkthöhe	0.3 in [6.8 mm]	
Produktgewicht	5.4 oz [154.0 g]	
Verpackungsinformationen		
Paketlänge	5.0 in [12.8 cm]	

Paketbreite	8.7 in [22.0 cm]
Pakethöhe	0.8 in [2.0 cm]
Versandgewicht (Verpackung)	5.6 oz [160.0 g]

Verpackungsinhalt

Im Paket enthalten	1 - USB-C Kabel mit Sicherungsschrauben
--------------------	---

* Größe, Aussehen und Spezifikationen sind Änderungen ohne vorherige Ankündigung vorbehalten.