



APC Easy UPS On-Line, 6kVA/6kW, Tower, 230V, Festverdrahteter 3-adriger (1P+N+E) Ausgang, Intelligenter Kartensteckplatz, LCD

Marke : APC

Artikel-Code: SRV6KI

Produktname : APC Easy UPS On-Line, 6kVA/6kW, Tower, 230V, Festverdrahteter 3-adriger (1P+N+E) Ausgang, Intelligenter Kartensteckplatz, LCD

APC Easy UPS On-Line, 6kVA/6kW, Tower, 230V, Festverdrahteter 3-adriger (1P+N+E) Ausgang, Intelligenter Kartensteckplatz, LCD

APC Easy UPS On-Line, 6kVA/6kW, Tower, 230V, Festverdrahteter 3-adriger (1P+N+E) Ausgang, Intelligenter Kartensteckplatz, LCD. USV-Topologie: Doppelwandler (Online), Ausgangskapazität: 6 kVA, Ausgangsleistung: 6000 W. AC-Steckertypen: Hard Wire 3-wire (1PH + N + G), Serielle Schnittstelle: RS-232. Batteriekapazität: 7 Ah, Batteriekapazität: 192 VAh, Akku-/Batteriespannung: 12 V. Formfaktor: Tower, Produktfarbe: Schwarz, Displaytyp: LCD. Mitgelieferte Kabel: Eingangskabel, Ausgabenetzkabel, RS-232, USB-Kabel




Merkmale		Design	
USV-Topologie *	Doppelwandler (Online)	Formfaktor *	Tower
Ausgangskapazität *	6 kVA	Produktfarbe *	Schwarz
Ausgangsleistung *	6000 W	Displaytyp	LCD
Eingangs-Betriebsspannung (min) *	110 V	Betriebsbedingungen	
Eingangs-Betriebsspannung (max) *	300 V	Betriebstemperatur	0 - 40 °C
Eingangsfrequenz *	50/60 Hz	Temperaturbereich bei Lagerung	-15 - 60 °C
Ausgangs-Betriebsspannung (min)	220 V	Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Ausgangs-Betriebsspannung (max)	240 V	Luftfeuchtigkeit bei Lagerung	0 - 95%
Anstieg der Energiemenge	600 J	Höhe bei Betrieb	0 - 3000 m
Effizienz	94%	Höhe bei Lagerung	0 - 15000 m
Crest-Faktor	3:1	Lieferumfang	
Notstrom Aus (EPO)	✓	Mitgelieferte Kabel	Eingangskabel, Ausgabenetzkabel, RS-232, USB-Kabel
Buchsen Hauptschalter	✓	Management-Karte enthalten	✗
Anschlüsse und Schnittstellen		Betriebsanleitung	✓
AC-Steckertypen	Hard Wire 3-wire (1PH + N + G)	Gewicht und Abmessungen	
USB Anschluss	✓	Breite	190 mm
Anzahl USB 2.0 Anschlüsse	1	Tiefe	374 mm
Serielle Schnittstelle	✓	Höhe	685 mm
Serielle Schnittstelle	RS-232	Gewicht	5,4 kg
RS-232 port	1	Verpackungsdaten	
SmartSlot	✓	Garantiekarte	✓
SmartConnect-Anschluss	✗		

Akku/Batterie		Verpackungsdaten	
Batteriekapazität	7 Ah	Software-CD	✓
Batteriekapazität	192 VAh	Verpackungsbreite	291 mm
Akku-/Batteriespannung	12 V	Verpackungstiefe	495 mm
		Verpackungshöhe	910 mm
		Paketgewicht	66 kg
		Logistikdaten	
		Warentarifnummer (HS)	85078000



0731304338017



731304338017

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.