



APC Easy UPS On-Line, 10kVA/10kW, Tower, 230V, Festverdrahteter 3-adriger (1P+N+E) Ausgang, Intelligenter Kartensteckplatz, LCD, Verlängerte Laufzeit

Marke : APC

Artikel-Code: SRV10KIL

Produktname : APC Easy UPS On-Line, 10kVA/10kW, Tower, 230V, Festverdrahteter 3-adriger (1P+N+E) Ausgang, Intelligenter Kartensteckplatz, LCD, Verlängerte Laufzeit

APC Easy UPS On-Line, 10kVA/10kW, Tower, 230V, Festverdrahteter 3-adriger (1P+N+E) Ausgang, Intelligenter Kartensteckplatz, LCD, Verlängerte Laufzeit
APC Easy UPS On-Line, 10kVA/10kW, Tower, 230V, Festverdrahteter 3-adriger (1P+N+E) Ausgang, Intelligenter Kartensteckplatz, LCD, Verlängerte Laufzeit. USV-Topologie: Doppelwandler (Online), Ausgangskapazität: 10 kVA, Ausgangsleistung: 10000 W. AC-Steckertypen: Hard Wire 3-wire (1PH + N + G), Serielle Schnittstelle: RS-232. Formfaktor: Tower, Produktfarbe: Schwarz, Kühlung: Aktiv. Konformitätsbescheinigungen: RoHS, Zertifizierung: CE, IEC 62040-1-1, IEC 62040-1-2. Mitgelieferte Kabel: USB-Kabel



Merkmale		Design	
USV-Topologie *	Doppelwandler (Online)	Formfaktor *	Tower
Ausgangskapazität *	10 kVA	Kühlung	Aktiv
Ausgangsleistung *	10000 W	Eingebauter Ventilator	✓
Wellenform *	Sine	Produktfarbe *	Schwarz
Eingangs-Betriebsspannung (min) *	220 V	Displaytyp	LCD
Eingangs-Betriebsspannung (max) *	240 V	LED-Anzeigen	Leistung, Status
Eingangsfrequenz *	40/70 Hz	Betriebsbedingungen	
Ausgangs-Betriebsspannung (min)	220 V	Betriebstemperatur	0 - 40 °C
Ausgangs-Betriebsspannung (max)	240 V	Relative Luftfeuchtigkeit in Betrieb	0 - 95%
Anstieg der Energiemenge	600 J	Luftfeuchtigkeit bei Lagerung	0 - 95%
Crest-Faktor	3:1	Höhe bei Betrieb	0 - 3000 m
Notstrom Aus (EPO)	✓	Höhe bei Lagerung	0 - 14763 m
Druckanstiegsschutz	✓	Zertifikate	
Energieschutzeigenschaften	Überlastschutz	Konformitätsbescheinigungen	RoHS
Akustische Signale	✓	Zertifizierung	CE, IEC 62040-1-1, IEC 62040-1-2
Anschlüsse und Schnittstellen		Lieferumfang	
AC-Steckertypen	Hard Wire 3-wire (1PH + N + G)	Mitgelieferte Kabel	USB-Kabel
USB Anschluss	✓	Management-Karte enthalten	✗
Serielle Schnittstelle	✓	Betriebsanleitung	✓
Serielle Schnittstelle	RS-232	Gewicht und Abmessungen	
RS-232 port	1	Breite	380 mm
Notaus-Steckverbinder (EPO)	✓	Tiefe	485 mm
SmartSlot	✓		

Anschlüsse und Schnittstellen		Gewicht und Abmessungen	
SmartConnect-Anschluss	✗	Höhe	368 mm
		Gewicht	76,5 kg
		Verpackungsdaten	
		Paketgewicht	82,5 kg
		Logistikdaten	
		Warentarifnummer (HS)	85078000



0731304337942



731304337942



8592978368470

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.