

GIGABYTE MZ71-CE0 Socket SP3 Erweitertes ATX

Marke : GIGABYTE

Artikel-Code: 9MZ71CE0MR-00


Produktname : MZ71-CE0

GIGABYTE MZ71-CE0. Prozessorhersteller: AMD, Prozessorsockel: Socket SP3, Kompatible Prozessoren: AMD EPYC. Unterstützte Arbeitsspeicher: DDR4-SDRAM, RAM-Speicher maximal: 128 GB, Speicherkanäle: Okta-Kanal. Unterstützte Speicherlaufwerk-Schnittstellen: SATA III. Eingebautes Grafikkartenmodell: Aspeed AST2500. Ethernet Schnittstellen Typ: 10 Gigabit Ethernet, LAN-Controller: Broadcom BCM57416



Prozessor		E/A-Anschlüsse auf der Rückseite	
Prozessorhersteller *	AMD	Anzahl VGA (D-Sub) Anschlüsse *	1
Prozessorsockel *	Socket SP3	Anzahl COM-Anschlüsse	1
Kompatible Prozessoren *	AMD EPYC	Netzwerk	
Speicher		Ethernet/LAN	✓
Unterstützte Arbeitsspeicher *	DDR4-SDRAM	Ethernet Schnittstellen Typ	10 Gigabit Ethernet
Anzahl der Speichersteckplätze *	16	LAN-Controller	Broadcom BCM57416
Speicherkanäle	Okta-Kanal	WLAN *	✗
Unterstützte Arbeitsspeichergeschwindigkeit	3200 MHz	Merkmale	
RAM-Speicher maximal *	128 GB	Komponente für *	Server
Speicher-Controller		Motherboardformfaktor *	Erweitertes ATX
Unterstützte Speicherlaufwerk-Schnittstellen *	SATA III	Erweiterungssteckplätze	
Grafik		PCI-Express x16-Slots	5
Parallele Verarbeitungstechnologie *	Nicht unterstützt	Anzahl der M.2 (M)-Steckplätze	1
Eingebautes Grafikkartenmodell	Aspeed AST2500	1. M.2 größte Schlüsselgröße	22110
Interne E/A-Anschlüsse		1. M.2 höchste PCI Express-Generation	4.0
Anzahl USB 2.0 Schnittstellen *	1	Betriebsbedingungen	
USB 3.2 Gen 1 (3.1 Gen 1) Anschlüsse *	1	Temperaturbereich bei Lagerung	-40 - 60 °C
SATA III Anschlüsse *	4	Betriebstemperatur	10 - 40 °C
ATX Stromstecker (24-pol.)	✓	Relative Luftfeuchtigkeit in Betrieb	8 - 80%
CPU Ventilatorstecker	✓	Luftfeuchtigkeit bei Lagerung	20 - 95%
Zahl der COM Stecker	1	Verpackungsdaten	
TPM-Anschluss	✓	Verpackungsbreite	409 mm
E/A-Anschlüsse auf der Rückseite		Verpackungstiefe	355 mm
USB 3.2 Gen 1 (3.1 Gen 1) Anzahl der Anschlüsse vom Typ A *	2	Verpackungshöhe	78 mm
		Gewicht und Abmessungen	
		Breite	305 mm
		Tiefe	330 mm

E/A-Anschlüsse auf der Rückseite		Lieferumfang	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	2	Mitgelieferte Kabel	SATA



4719331810856

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.